

Directions

Please circle a value for each question to provide us and the interested facilities with an assessment of your clinical experience. These values confirm your strengths within your specialty and assist the facility in the selection process of the healthcare professional.

Frequency		Experience	
1	Observed Only or Never Done	1	No Experience
2	Rarely Done (<6 times/year)	2	Some Experience (Requires Assistance)
3	Occasionally Done (1-2 times/month)	3	Experienced (Performs without Assistance)
4	Frequently Done (daily or weekly)	4	Very Experienced (Performs Well)

Print Name

SS#

Date

General Skills	Frequency				Experience			
Advanced directives	1	2	3	4	1	2	3	4
Patient/family teaching	1	2	3	4	1	2	3	4
Restrictive devices (restraints)	1	2	3	4	1	2	3	4
Lift/transfer devices	1	2	3	4	1	2	3	4
Specialty beds	1	2	3	4	1	2	3	4
End of life care/palliative care	1	2	3	4	1	2	3	4
Automated medication dispensing	1	2	3	4	1	2	3	4
Bar coding for medication administration	1	2	3	4	1	2	3	4
Computerized Charting								
Cerner	1	2	3	4	1	2	3	4
EPIC	1	2	3	4	1	2	3	4
McKesson	1	2	3	4	1	2	3	4
Meditech	1	2	3	4	1	2	3	4
Other	1	2	3	4	1	2	3	4
National Patient Safety Goals								
Accurate patient identification	1	2	3	4	1	2	3	4
Effective communication	1	2	3	4	1	2	3	4
Interpretation & communication of lab values	1	2	3	4	1	2	3	4
Medication administration	1	2	3	4	1	2	3	4
Labeling	1	2	3	4	1	2	3	4
Anticoagulation therapy	1	2	3	4	1	2	3	4
Reconciliation	1	2	3	4	1	2	3	4
Moderate sedation	1	2	3	4	1	2	3	4
Pain assessment & management	1	2	3	4	1	2	3	4
Use of PCA (IV, Intrathecal, Epidural)	1	2	3	4	1	2	3	4
Infection control	1	2	3	4	1	2	3	4
Universal precautions	1	2	3	4	1	2	3	4
Isolation	1	2	3	4	1	2	3	4
Minimize risk for falls	1	2	3	4	1	2	3	4
Prevention of pressure ulcers	1	2	3	4	1	2	3	4

Initials _____

Frequency		Experience	
1 Observed Only or Never Done		1 No Experience	
2 Rarely Done (<6 times/year)		2 Some Experience (Requires Assistance)	
3 Occasionally Done (1-2 times/month)		3 Experienced (Performs without Assistance)	
4 Frequently Done (daily or weekly)		4 Very Experienced (Performs Well)	

General Skills - cont.	Frequency				Experience			
Wound care	1	2	3	4	1	2	3	4
Cardiac Monitoring & Emergency Care								
Obtains 12 lead EKG	1	2	3	4	1	2	3	4
Interpretation of rhythm strips	1	2	3	4	1	2	3	4
Treatment of dysrhythmias	1	2	3	4	1	2	3	4
Use of rapid response teams	1	2	3	4	1	2	3	4
Cardiac arrest/CPR	1	2	3	4	1	2	3	4
O2 therapy & delivery	1	2	3	4	1	2	3	4
Pulse oximetry	1	2	3	4	1	2	3	4
Use of doppler	1	2	3	4	1	2	3	4
IV Therapy								
Starting & maintaining peripheral IVs	1	2	3	4	1	2	3	4
Blood draw: venous	1	2	3	4	1	2	3	4
Central line care	1	2	3	4	1	2	3	4
Blood draw: central line	1	2	3	4	1	2	3	4
Care & management of Ports	1	2	3	4	1	2	3	4
Care & management of PICC/Groshong/Hickman	1	2	3	4	1	2	3	4
TPN & Lipids	1	2	3	4	1	2	3	4
Administration of blood/blood products	1	2	3	4	1	2	3	4
Administration of chemotherapy	1	2	3	4	1	2	3	4
Monitoring chemotherapy (does not initiate)	1	2	3	4	1	2	3	4
Other								
Diabetes Mellitus	1	2	3	4	1	2	3	4
Blood Glucose Monitoring (BGM)	1	2	3	4	1	2	3	4
Insulin administration	1	2	3	4	1	2	3	4

Cardiac	Frequency				Experience			
Assessment of heart sounds	1	2	3	4	1	2	3	4
Pacemakers-permanent	1	2	3	4	1	2	3	4
Care of Patient with:								
Aneurysm	1	2	3	4	1	2	3	4
Angina	1	2	3	4	1	2	3	4
Angioplasty (Pre/post)	1	2	3	4	1	2	3	4
CHF	1	2	3	4	1	2	3	4
Carotid endarterectomy	1	2	3	4	1	2	3	4
Post MI	1	2	3	4	1	2	3	4
Pre/post cardiac cath	1	2	3	4	1	2	3	4
Pre/post cardiac surgery	1	2	3	4	1	2	3	4

Initials _____

Frequency		Experience	
1 Observed Only or Never Done		1 No Experience	
2 Rarely Done (<6 times/year)		2 Some Experience (Requires Assistance)	
3 Occasionally Done (1-2 times/month)		3 Experienced (Performs without Assistance)	
4 Frequently Done (daily or weekly)		4 Very Experienced (Performs Well)	

Cardiac - cont.	Frequency				Experience			
Use & Administration of the Following:								
Anti-arrhythmic	1	2	3	4	1	2	3	4
Antihypertensives	1	2	3	4	1	2	3	4
Beta blockers	1	2	3	4	1	2	3	4
Diuretics	1	2	3	4	1	2	3	4
Nitrates	1	2	3	4	1	2	3	4
Fibrinolytics/IIb IIIa inhibitors	1	2	3	4	1	2	3	4

Respiratory	Frequency				Experience			
Assessment of breath sounds	1	2	3	4	1	2	3	4
Chest tubes (Emerson/Pleuravac)	1	2	3	4	1	2	3	4
Interpretation of ABG	1	2	3	4	1	2	3	4
Incentive spirometer	1	2	3	4	1	2	3	4
Mechanical ventilation	1	2	3	4	1	2	3	4
Oral suctioning	1	2	3	4	1	2	3	4
Nasotracheal suctioning	1	2	3	4	1	2	3	4
Tracheostomy care	1	2	3	4	1	2	3	4
Care of Patient with:								
COPD	1	2	3	4	1	2	3	4
Pre/post thoracic surgery	1	2	3	4	1	2	3	4
Thyroidectomy	1	2	3	4	1	2	3	4
Pulmonary embolism	1	2	3	4	1	2	3	4
Pulmonary edema	1	2	3	4	1	2	3	4
Pneumothorax	1	2	3	4	1	2	3	4
Pneumonia	1	2	3	4	1	2	3	4
Inhalation injuries	1	2	3	4	1	2	3	4
Tuberculosis	1	2	3	4	1	2	3	4
Emphysema	1	2	3	4	1	2	3	4
Asthma	1	2	3	4	1	2	3	4
Use & Administration of the Following:								
Bronchodilators	1	2	3	4	1	2	3	4
Steroids	1	2	3	4	1	2	3	4
Expectorants	1	2	3	4	1	2	3	4

Gynecology	Frequency				Experience			
Endometriosis	1	2	3	4	1	2	3	4
Gyn exam/pap	1	2	3	4	1	2	3	4

Initials _____

Frequency		Experience	
1 Observed Only or Never Done		1 No Experience	
2 Rarely Done (<6 times/year)		2 Some Experience (Requires Assistance)	
3 Occasionally Done (1-2 times/month)		3 Experienced (Performs without Assistance)	
4 Frequently Done (daily or weekly)		4 Very Experienced (Performs Well)	

Gynecology - cont.	Frequency				Experience			
Self breast exam	1	2	3	4	1	2	3	4
Tubal ligation	1	2	3	4	1	2	3	4
Ectopic pregnancy	1	2	3	4	1	2	3	4
Mastectomy/lumpectomy	1	2	3	4	1	2	3	4
Hysterectomy (vaginal or TAHBSO)	1	2	3	4	1	2	3	4
Repair of cystocele/rectocele	1	2	3	4	1	2	3	4
Pelvic inflammatory disease	1	2	3	4	1	2	3	4
Abnormal uterine bleeding	1	2	3	4	1	2	3	4

Neurology	Frequency				Experience			
Glasgow coma scale	1	2	3	4	1	2	3	4
Seizure precautions	1	2	3	4	1	2	3	4
Assist with Lumbar puncture	1	2	3	4	1	2	3	4
Halo traction	1	2	3	4	1	2	3	4
Care of Patient with:								
CVA	1	2	3	4	1	2	3	4
TIA	1	2	3	4	1	2	3	4
Overdose	1	2	3	4	1	2	3	4
Spinal cord injury/trauma	1	2	3	4	1	2	3	4
TBI (Traumatic Brain Injury)	1	2	3	4	1	2	3	4
Pre/post neuro surgery	1	2	3	4	1	2	3	4
Cranial hemorrhage	1	2	3	4	1	2	3	4
Delirium tremors	1	2	3	4	1	2	3	4
Meningitis	1	2	3	4	1	2	3	4
Neuromuscular diseases	1	2	3	4	1	2	3	4
Use & Administration of the Following:								
Antiepileptics	1	2	3	4	1	2	3	4
Corticosteroids	1	2	3	4	1	2	3	4
Steroids	1	2	3	4	1	2	3	4

Gastrointestinal	Frequency				Experience			
NG tube insertion	1	2	3	4	1	2	3	4
Management of small bore feeding tubes (Dobhoff, Keofeed)	1	2	3	4	1	2	3	4
Jejunostomy tube	1	2	3	4	1	2	3	4
PEG tube	1	2	3	4	1	2	3	4
Care of Patient with:								
Pancreatitis	1	2	3	4	1	2	3	4
Hepatitis	1	2	3	4	1	2	3	4

Initials _____

Frequency		Experience	
1 Observed Only or Never Done		1 No Experience	
2 Rarely Done (<6 times/year)		2 Some Experience (Requires Assistance)	
3 Occasionally Done (1-2 times/month)		3 Experienced (Performs without Assistance)	
4 Frequently Done (daily or weekly)		4 Very Experienced (Performs Well)	

Gastrointestinal - cont.	Frequency				Experience			
G.I. bleed	1	2	3	4	1	2	3	4
Esophageal bleeding	1	2	3	4	1	2	3	4
Bowel obstruction	1	2	3	4	1	2	3	4
Bowel resection	1	2	3	4	1	2	3	4
Gastric bypass	1	2	3	4	1	2	3	4
Whipple procedure	1	2	3	4	1	2	3	4
Transplants (specify)	1	2	3	4	1	2	3	4
Colostomy/ileostomy	1	2	3	4	1	2	3	4
Paralytic ileus	1	2	3	4	1	2	3	4
E.R.C.P	1	2	3	4	1	2	3	4
Use & Administration of the Following:								
Anticholinergics (Antispas, Bentyl or Robinul)	1	2	3	4	1	2	3	4
Cathartics	1	2	3	4	1	2	3	4

Genitourinary/Renal	Frequency				Experience			
Catheter insertion	1	2	3	4	1	2	3	4
GU irrigations	1	2	3	4	1	2	3	4
Nephrostomy tube	1	2	3	4	1	2	3	4
Suprapubic tube	1	2	3	4	1	2	3	4
Care of Patient with:								
Hemodialysis	1	2	3	4	1	2	3	4
T.U.R.P.	1	2	3	4	1	2	3	4
Shunts and fistulas	1	2	3	4	1	2	3	4
Nephrectomy	1	2	3	4	1	2	3	4
Peritoneal dialysis	1	2	3	4	1	2	3	4
Renal transplant	1	2	3	4	1	2	3	4
Chronic/acute renal failure	1	2	3	4	1	2	3	4

Orthopedic	Frequency				Experience			
Total joint replacement	1	2	3	4	1	2	3	4
Arthroscopic surgery	1	2	3	4	1	2	3	4
Bucks extension	1	2	3	4	1	2	3	4
K-wires/Steinman pins	1	2	3	4	1	2	3	4
Spika cast/body cast	1	2	3	4	1	2	3	4
Splints	1	2	3	4	1	2	3	4
CPM	1	2	3	4	1	2	3	4
TENS unit	1	2	3	4	1	2	3	4
Cast care & removal	1	2	3	4	1	2	3	4

Initials _____

Frequency		Experience	
1 Observed Only or Never Done		1 No Experience	
2 Rarely Done (<6 times/year)		2 Some Experience (Requires Assistance)	
3 Occasionally Done (1-2 times/month)		3 Experienced (Performs without Assistance)	
4 Frequently Done (daily or weekly)		4 Very Experienced (Performs Well)	

Orthopedic - cont.	Frequency				Experience			
Amputation	1	2	3	4	1	2	3	4
Skeletal traction	1	2	3	4	1	2	3	4
Ortho trauma	1	2	3	4	1	2	3	4
Cervical fusion	1	2	3	4	1	2	3	4
Laminectomy	1	2	3	4	1	2	3	4

Other	Frequency				Experience			
Oncology	1	2	3	4	1	2	3	4
Chemotherapy	1	2	3	4	1	2	3	4
Radiation therapy	1	2	3	4	1	2	3	4
Radiation implants	1	2	3	4	1	2	3	4
Inpatient hospice	1	2	3	4	1	2	3	4
Suicide precautions	1	2	3	4	1	2	3	4
Burn patients	1	2	3	4	1	2	3	4
Additional Skills:								
Leadership skills (Team Leader or Charge Nurse)	1	2	3	4	1	2	3	4

Age Specific Competencies	Frequency				Experience			
Newborn (birth to 30 days)	1	2	3	4	1	2	3	4
Infant (30 days to 1 year)	1	2	3	4	1	2	3	4
Toddler (ages 1-3 years)	1	2	3	4	1	2	3	4
Preschooler (ages 3-5 years)	1	2	3	4	1	2	3	4
Childhood (ages 6-12 years)	1	2	3	4	1	2	3	4
Adolescents (ages 12-21 years)	1	2	3	4	1	2	3	4
Young Adults (ages 21-39 years)	1	2	3	4	1	2	3	4
Adults (ages 40-64 years)	1	2	3	4	1	2	3	4
Older Adults (ages 65-79 years)	1	2	3	4	1	2	3	4
Elderly (ages 80+ years)	1	2	3	4	1	2	3	4

Initials _____

Frequency		Experience	
1	Observed Only or Never Done	1	No Experience
2	Rarely Done (<6 times/year)	2	Some Experience (Requires Assistance)
3	Occasionally Done (1-2 times/month)	3	Experienced (Performs without Assistance)
4	Frequently Done (daily or weekly)	4	Very Experienced (Performs Well)

Please list any Additional Skills:	
1.	2.
3.	4.
Additional training:	
1.	2.
3.	4.
Additional equipment:	
1.	2.
3.	4.

Fax to: 1-888-298-3146

The information on this and all preceding pages is true and correct.

Signature

Date